

CERTIFICATE OF ANALYSIS

Prepared for:

CANNA-VENTURES OF WV

200 HELIPOINT LOOP RD
BRIDGEPORT, WV USA 26330

Sprayable Loation

Batch ID or Lot Number: SL092022	Test: Potency	Reported: 03Nov2022	USDA License: N/A
Matrix: Concentrate	Test ID: T000226021	Started: 01Nov2022	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 31Oct2022	Status: N/A

Cannabinoids

	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.013	0.035	ND	ND	
Cannabichromenic Acid (CBCA)	0.012	0.032	ND	ND	
Cannabidiol (CBD)	0.034	0.092	1.280	12.80	
Cannabidiolic Acid (CBDA)	0.035	0.094	ND	ND	
Cannabidivarin (CBDV)	0.008	0.022	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.014	0.039	ND	ND	
Cannabigerol (CBG)	0.007	0.020	1.270	12.70	
Cannabigerolic Acid (CBGA)	0.031	0.082	ND	ND	
Cannabinol (CBN)	0.010	0.026	ND	ND	
Cannabinolic Acid (CBNA)	0.021	0.056	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.037	0.098	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.034	0.089	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.030	0.079	ND	ND	
Tetrahydrocannabivarin (THCV)	0.007	0.018	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.026	0.070	ND	ND	
Total Cannabinoids			2.550	25.50	
Total Potential THC			ND	ND	
Total Potential CBD			1.280	12.80	

Final Approval

Karen Winternheimer
03Nov2022
02:28:00 PM MDT

Sam Smith
03Nov2022
02:30:00 PM MDT



PREPARED BY / DATE

APPROVED BY / DATE

<https://results.botanacor.com/api/v1/coas/uuid/2364a575-ffc3-474b-8f17-ff5730a0f389>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa * (0.877)) and Total CBD = CBD + (CBDA * (0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
2364a575ffc3474b8f17ff5730a0f389.1